2022 MODEL YEAR



TEST #1

Test Date: 17-March-2020

MODEL	280 Vantage
HULL#	USBWCE1354L920
ENGINE	Dual Mercury 250 V8 AMS
HORSEPOW- ER	500
GEAR RA- TIOS	1.85 : 1
PROP	19P Eco Enertia
FUEL CAPAC- ITY	180 gal.

Notable Options: Joystick piloting, Bow table, Vacu-flush head, Rod storage, Summer kitchen, VHF, 12" Electronics


Speed Fuel Consumption

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.5	3.0	1.4	2.46	2.14	399
	1000	5.6	4.9	2.6	2.15	1.87	349
	1500	7.8	6.8	4.2	1.86	1.61	301
	2000	9.4	8.1	7.0	1.34	1.16	216
	2500	11.3	9.8	9.3	1.22	1.06	197
	2750	13.8	12.0	10.8	1.28	1.11	207
	3000	16.8	14.5	12.1	1.39	1.21	225
	3250	26.3	22.8	13.3	1.98	1.72	320
	3500	31.2	27.1	16.0	1.95	1.70	316
	4000	36.5	31.7	20.9	1.74	1.51	283
	4500	41.9	36.4	26.1	1.61	1.39	260
	5000	47.2	41.0	34.5	1.37	1.19	222
	5500	52.5	45.5	42.4	1.24	1.07	200
WOT	5920	54.7	47.5	44.7	1.23	1.06	198

Acceleration: Time to plane 4.1 secs | Idle - 30 mph - 6.1 secs

WEIGHT SUMMARY

DRY WEIGHT	8,469 lbs
FUEL	180 gal.
WATER	0 gal.
TEST GEAR	25 lbs
PERSONNEL	345 lbs
TEST WEIGHT	9,946 lbs
WATER CONDITIONS	78° F
WEATHER CON- DITIONS	64° F



2022 MODEL YEAR



TEST #2

Test Date: 17-March-2020

MODEL	280 Vantage
HULL#	USBWCE1354L920
ENGINE	Dual Mercury 300 V8 AMS
HORSEPOW- ER	600
GEAR RA- TIOS	1.85:1
PROP	20P Eco Enertia
FUEL CAPAC- ITY	180 gal.

Notable Options: Joystick piloting, Bow table, Vacu-flush head, Rod storage, Summer kitchen, VHF, 12" Electronics


Speed		Fuel Consumption		

RPM	mph	knots	gph	mpg	nmpg	range (mi)
600	3.8	3.3	1.4	2.71	2.36	440
1000	6.1	5.3	2.6	2.33	2.02	377
1500	8.3	7.2	4.2	1.98	1.72	320
2000	9.8	8.5	7.2	1.36	1.18	221
2500	13.6	11.8	9.4	1.45	1.26	234
2750	15.9	13.8	11.2	1.42	1.23	230
3000	19.4	16.8	12.3	1.58	1.37	256
3250	27.9	24.2	14.0	1.99	1.73	322
3500	31.6	27.4	16.2	1.95	1.69	316
4000	37.5	32.5	22.1	1.69	1.47	275
4500	42.4	36.8	27.2	1.56	1.36	253
5000	47.5	41.2	38.5	1.23	1.07	200
5500	52.6	45.7	45.9	1.15	1.00	186
6000	57.8	50.2	48.9	1.18	1.03	191
	600 1000 1500 2000 2500 2750 3000 3250 3500 4000 4500 5500	600 3.8 1000 6.1 1500 8.3 2000 9.8 2500 13.6 2750 15.9 3000 19.4 3250 27.9 3500 31.6 4000 37.5 4500 42.4 5000 47.5 5500 52.6	600 3.8 3.3 1000 6.1 5.3 1500 8.3 7.2 2000 9.8 8.5 2500 13.6 11.8 2750 15.9 13.8 3000 19.4 16.8 3250 27.9 24.2 3500 31.6 27.4 4000 37.5 32.5 4500 42.4 36.8 5000 47.5 41.2 5500 52.6 45.7	600 3.8 3.3 1.4 1000 6.1 5.3 2.6 1500 8.3 7.2 4.2 2000 9.8 8.5 7.2 2500 13.6 11.8 9.4 2750 15.9 13.8 11.2 3000 19.4 16.8 12.3 3250 27.9 24.2 14.0 3500 31.6 27.4 16.2 4000 37.5 32.5 22.1 4500 42.4 36.8 27.2 5000 47.5 41.2 38.5 5500 52.6 45.7 45.9 6000 57.8 50.2 48.9	600 3.8 3.3 1.4 2.71 1000 6.1 5.3 2.6 2.33 1500 8.3 7.2 4.2 1.98 2000 9.8 8.5 7.2 1.36 2500 13.6 11.8 9.4 1.45 2750 15.9 13.8 11.2 1.42 3000 19.4 16.8 12.3 1.58 3250 27.9 24.2 14.0 1.99 3500 31.6 27.4 16.2 1.95 4000 37.5 32.5 22.1 1.69 4500 42.4 36.8 27.2 1.56 5000 47.5 41.2 38.5 1.23 5500 52.6 45.7 45.9 1.15	600 3.8 3.3 1.4 2.71 2.36 1000 6.1 5.3 2.6 2.33 2.02 1500 8.3 7.2 4.2 1.98 1.72 2000 9.8 8.5 7.2 1.36 1.18 2500 13.6 11.8 9.4 1.45 1.26 2750 15.9 13.8 11.2 1.42 1.23 3000 19.4 16.8 12.3 1.58 1.37 3250 27.9 24.2 14.0 1.99 1.73 3500 31.6 27.4 16.2 1.95 1.69 4000 37.5 32.5 22.1 1.69 1.47 4500 42.4 36.8 27.2 1.56 1.36 5000 47.5 41.2 38.5 1.23 1.07 5500 52.6 45.7 45.9 1.15 1.00 6000 57.8 50.2 48.9

Acceleration: Time to plane 4.3 secs | Idle - 30 mph - 6.4 secs

WEIGHT SUMMARY

DRY WEIGHT	8,469 lbs
FUEL	180 gal.
WATER	0 gal.
TEST GEAR	25 lbs
PERSONNEL	345 lbs
TEST WEIGHT	9, 946 lbs
WATER CONDITIONS	78° F
WEATHER CON- DITIONS	80° F



2022 MODEL YEAR



TEST #3

Test Date: 10-Sept-2019

MODEL	280 Vantage
HULL#	USBWCE0033F920
ENGINE	Dual Mercury 350 Verado
HORSEPOW- ER	700
GEAR RA- TIOS	1.75 : 1
PROP	19P Rev 4
FUEL CAPAC- ITY	180 gal.

Notable Options: Joystick piloting, Bow table, Vacu-flush head, Rod storage, Summer kitchen, Underwater lights, Sunshade, 4KW radome, VHF, 12" Electronics


WEIGHT SUMMARY

DRY WEIGHT	9,179 lbs
FUEL	83 gal.
WATER	10 gal.
TEST GEAR	25 lbs
PERSONNEL	395 lbs
TEST WEIGHT	10,193 lbs
WATER CONDITIONS	85° F
WEATHER CON- DITIONS	78° F

Speed	Fue	l Consumpt	ior
			-

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.9	3.4	1.4	2.79	2.42	464
	1000	5.9	5.1	2.4	2.44	2.12	406
	1500	8.5	7.4	4.1	2.10	1.82	349
	2000	9.8	8.5	6.8	1.44	1.25	240
	2500	14.9	12.9	10.6	1.40	1.22	233
	2750	18.5	16.0	11.5	1.60	1.39	267
	3000	24.3	21.1	12.9	1.89	1.64	315
	3250	27.7	24.0	14.9	1.86	1.61	309
	3500	31.1	27.0	16.8	1.85	1.60	308
	4000	37.6	32.6	21.8	1.73	1.50	287
	4500	43.1	37.4	27.6	1.56	1.35	260
	5000	48.6	42.2	36.5	1.33	1.16	222
·	5500	53.3	46.2	48.4	1.10	0.96	183
·	6000	57.7	50.1	62.0	0.93	0.81	155
WOT	6250	58.5	50.8	62.0	0.94	0.82	157

Acceleration: Time to plane 5.8 secs | Idle - 30 mph - 6.8 secs



2022 MODEL YEAR



TEST #4

Test Date: 15-Jan-2020

MODEL	280 Vantage
HULL#	USBWCE0033F920
ENGINE	Dual Mercury 400 Verado
HORSEPOW- ER	800
GEAR RA- TIOS	1.75 : 1
PROP	19P Rev 4
FUEL CAPAC- ITY	180 gal.

Notable Options: Joystick piloting, Bow table, Vacu-flush head, Rod storage, Summer kitchen, Underwater lights, Sunshade, 4KW radome, VHF, 12" Electronics


WEIGHT SUMMARY

DRY WEIGHT	9,179 lbs		
FUEL	96 gal.		
WATER	0 gal.		
TEST GEAR	25 lbs		
PERSONNEL	345 lbs		
TEST WEIGHT	10,139 lbs		
WATER CONDITIONS	73° F		
WEATHER CON- DITIONS	66° F		

Speed	Fuel Consumption
-I	r

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.5	3.0	1.4	2.56	2.22	426
	1000	6.1	5.3	2.5	2.42	2.10	403
	1500	8.2	7.1	4.1	2.02	1.76	337
	2000	9.7	8.4	7.1	1.36	1.18	226
	2500	15.2	13.2	10.4	1.46	1.27	244
	2750	18.0	15.6	11.7	1.54	1.34	257
	3000	24.8	21.5	13.0	1.90	1.65	317
	3250	28.2	24.5	15.1	1.87	1.63	312
	3500	30.6	26.6	17.4	1.76	1.53	294
	4000	37.8	32.8	22.7	1.66	1.44	277
	4500	43.0	37.3	28.5	1.51	1.31	251
	5000	48.4	42.0	37.8	1.28	1.11	213
	5500	53.6	46.5	53.0	1.01	0.88	168
	6000	58.3	50.6	70.8	0.82	0.72	137
WOT	6750	62.4	54.1	75.3	0.83	0.72	138

Acceleration: Time to plane 5.7 secs | Idle - 30 mph - 7.0 secs



2022 MODEL YEAR



280 Vantage Engine Comparison Graph

